CACFP We	ekly Mer	nu			Month: March	Date: 2024	
		LCECA	Infant				
Meal	Age	Portion Size/Component	Monday	Tuesday	Wednesday	Thursday	Friday
			3/4/2024	3/5/2024	3/6/2024	3/7/2024	3/8/2024
	Birth - 5 Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ²	IFIF or Breastmilk				
		6-8 fl. oz. breastmilk ¹ or formula ² ; and	IFIF or Breastmilk				
	6-11 Months	0-4 Tbsp. infant cereal (0-½ oz. eq.) ² , meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or 0-2 oz. cheese; or 0-4 oz. (volume) cottage cheese; or					
		0-4 oz. or ½ cup yogurt³; or a	IFIC Multigrain		IFIC Multigrain		IFIC Rice Cereal
		combination of the above ⁴ ; and	Vanilla Yogurt	IFIC Rice Cereal	Vanilla Yogurt	IFIC Oatmeal	WW Toast
		0-2 Tbsp. vegetables or fruit or a combination of both ^{4,5}	Pears	Applesauce	Bananas	Pears	Applesauce
	Birth - 5 Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ²	IFIF or Breastmilk				
		6-8 fluid (fl.) oz. breastmilk ¹ or formula ² ; and	IFIF or Breastmilk				
	6-11	0-4 Tbsp. infant cereal (0-½ oz. eq.) ² , meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or					
Lunch	Months	0-2 oz. cheese; or 0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup yogurt ³ ; or a					
		combination of the above ⁴ ; and	Chicken	Beef	Turkey	Chicken	Beef
		0-2 Tbsp. vegetables or fruit or a combination of both ^{4,5}	Peas	Carrots	Green Beans	Peas	Sweet Potatoes

	Birth-5						
	Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ²	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
		2-4 fl. oz breastmilk ¹ or formula ² , and	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
PM Snack		0-½ slice of bread/bread-like items (0-½ oz. eq.) ⁶ ; or crackers (0-¼ oz. eq.) ⁶ ; or 0-4 Tbsp. infant cereal (0-½ oz. eq.) ^{2,6} ; or					
	6-11 Months	ready-to-eat breakfast cereal (0-¼ oz eq) ^{4,6,7} ; and	IFIC Oatmeal Vanilla Yogurt	IFIC Multigrain	IFIC Rice Cereal Graham Crackers		IFIC Oatmeal WW Toast
		0-2 Tbsp. vegetables or fruit or a combination of both ^{4,5}	Bananas	Squash	Applesauce	Sweet Potatoes	Pears

- 1. Breastmilk or formula, or portions of both, must be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months. For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be offered, with additional breastmilk offered at a later time if the infant will consume more.
- 2. Infant formula and dry infant cereal must be iron-fortified.
- 3. Yogurt must contain no more than 23 grams of total sugars per 6 ounces.
- 4. A serving of this component is required when the infant is developmentally ready to accept it.
- 5. Fruit and vegetable juices must not be served.
- 6. All grains served must be made with enriched or whole grain meal or flour. Ready-to-eat breakfast cereals and infant cereals that are fortified are also creditable.
- 7. Ready-to-eat breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams of sucrose and other sugars per 100 grams of dry cereal).

Dietitian Consulant Sina Rotliff RD, LD

CACFP We	eekly Mer	LCECA	Infant		Month: March	Date: 2024	
Meal	Age	Portion Size/Component	Monday 3/11/2024	Tuesday 3/12/2024	Wednesday 3/13/2024	Thursday 3/14/2024	Friday 3/15/2024
	Birth - 5 Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ²	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
Breakfast	6-11 Months	6-8 fl. oz. breastmilk¹ or formula²; and 0-4 Tbsp. infant cereal (0-½ oz. eq.)², meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or 0-2 oz. cheese; or	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
		0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup yogurt ³ ; or a combination of the above ⁴ ; and 0-2 Tbsp. vegetables or fruit or a combination of both ^{4,5}	IFIC Multigrain WW Toast Bananas	IFIC Rice Cereal Applesauce	IFIC Oatmeal Vanilla Yogurt Pears	IFIC Multigrain Applesauce	IFIC Rice Cereal Vanilla Yogurt Bananas
	Birth - 5 Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ²	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
		6-8 fluid (fl.) oz. breastmilk ¹ or formula ² ; and 0-4 Tbsp. infant cereal (0-½ oz. eq.) ² , meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
Lunch		0-2 oz. cheese; or 0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup yogurt³; or a combination of the above⁴; and	Chicken	Ham	Beef	Turkey	Ham
		0-2 Tbsp. vegetables or fruit or a combination of both ^{4,5}	Applesauce	Peas	Sweet Potatoes	Green Beans	Pears

	Birth-5						
	Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ²	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
i in		2-4 fl. oz breastmilk ¹ or formula ² , and	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
PM Snack		0-½ slice of bread/bread-like items (0-½ oz. eq.) ⁶ ; or crackers (0-¼ oz. eq.) ⁶ ; or 0-4 Tbsp. infant cereal (0-½ oz. eq.) ^{2,6} ; or					
AND DESIGNATION	6-11 Months	ready-to-eat breaklast cereal (0-74 02 eq)		IFIC Oatmeal Graham Crackers		IFIC Rice Cereal Vanilla Yogurt	IFIC Oatmeal Animal Crackers
		0-2 Tbsp. vegetables or fruit or a combination of both 4,5	Applesauce	Pears	Sweet Potatoes	Bananas	Carrots

- 1. Breastmilk or formula, or portions of both, must be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months.

 For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be offered, with additional breastmilk offered at a later time if the infant will consume more.
- 2. Infant formula and dry infant cereal must be iron-fortified.
- 3. Yogurt must contain no more than 23 grams of total sugars per 6 ounces.
- 4. A serving of this component is required when the infant is developmentally ready to accept it.
- 5. Fruit and vegetable juices must not be served.
- 6. All grains served must be made with enriched or whole grain meal or flour. Ready-to-eat breakfast cereals and infant cereals that are fortified are also creditable.
- 7. Ready-to-eat breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams of sucrose and other sugars per 100 grams of dry cereal).

Dietitian Consulant		

CACFP W	eekly Men				Month: March	Date: 2024	
		LCECA	Infant				
Meal	Age	Portion Size/Component	Monday	Tuesday	Wednesday		Friday
		4 C florid (fl.) bt:111	3/18/2024	3/19/2024	3/20/2024	3/21/2024	3/22/2024
	Birth - 5	4-6 fluid (fl.) oz. breastmilk ¹ or					
	Months	formula ²	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
		6-8 fl. oz. breastmilk ¹ or formula ² ; and	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
Breakfast	6-11 Months	0-4 Tbsp. infant cereal (0-½ oz. eq.) ² , meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or 0-2 oz. cheese; or					
		0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup yogurt ³ ; or a combination of the above ⁴ ; and	IFIC Multigrain Vanilla Yogurt	IFIC Oatmeal WW Toast	IFIC Multigrain	IFIC Rice Cereal	IFIC Multigrain Vanilla Yogurt
		0-2 Tbsp. vegetables or fruit or a combination of both ^{4,5}	Peaches	Applesauce	Pears	Bananas	Peaches
	Birth - 5 Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ² 6-8 fluid (fl.) oz. breastmilk ¹ or	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
		formula ² ; and	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
Lunch	6-11 Months	0-4 Tbsp. infant cereal (0-½ oz. eq.) ² , meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or 0-2 oz. cheese; or					
		0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup yogurt³; or a	Chicken	Beef	Ham	Beef	Turkey
		0-2 Tbsp. vegetables or fruit or a combination of both	Green Beans	Peas	Sweet Potatoes	Carrots	Squash

The state of the s	Birth-5 Months	4-6 fluid (fl.) oz. breastmilk or	IFIF or Breastmilk				
		2-4 fl. oz breastmilk ¹ or formula ² , and	IFIF or Breastmilk				
		0-½ slice of bread/bread-like items (0-					
		½ oz. eq.) ⁶ ; or crackers (0-¼ oz. eq.) ⁶ ; or					
		0-4 Tbsp. infant cereal (0-½ oz. eq.) ^{2,6} ;					
PM Snack		or					
	6-11	ready-to-eat breakfast cereal (0-1/4 oz	IFIC Rice Cereal		IFIC Oatmeal	IFIC Multigrain	IFIC Rice Cereal
	Months	eq) ^{4,6,7} ; and	Graham Crackers	IFIC Multigrain	Vanilla Yogurt	WW Toast	Animal Crackers
		0-2 Tbsp. vegetables or fruit or					
		a combination of both ^{4,5}	Applesauce	Bananas	Peaches	Applesauce	Pears

- 1. Breastmilk or formula, or portions of both, must be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months. For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be may be offered, with additional breastmilk offered at a later time if the infant will consume more.
- 2. Infant formula and dry infant cereal must be iron-fortified.
- 3. Yogurt must contain no more than 23 grams of total sugars per 6 ounces.
- 4. A serving of this component is required when the infant is developmentally ready to accept it.
- 5. Fruit and vegetable juices must not be served.
- 6. All grains served must be made with enriched or whole grain meal or flour. Ready-to-eat breakfast cereals and infant cereals that are fortified are also creditable.
- 7. Ready-to-eat breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams of sucrose and other sugars per 100 grams of dry cereal).

Dietitian Consulant SRatliff, RD, 4D

CACFP We	eekly Men	u			Month: March	Date: 2024	
		LCECA	Infant				
Meal	Age	Portion Size/Component	Monday	Tuesday	Wednesday	Thursday	Friday
			3/25/2024	3/26/2024	3/27/2024	3/28/2024	3/29/2024
	Birth - 5	4-6 fluid (fl.) oz. breastmilk ¹ or					
	Months	formula ²	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
		6-8 fl. oz. breastmilk ¹ or formula ² ; and	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
Breakfast	6-11 Months	0-4 Tbsp. infant cereal (0-½ oz. eq.) ² , meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or 0-2 oz. cheese; or					
		0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup yogurt ³ ; or a combination of the above ⁴ ; and	IFIC Oatmeal Vanilla Yogurt	IFIC Multigrain	IFIC Rice Cereal	IFIC Multigrain	IFIC Oatmeal Vanilla Yogurt
		0-2 Tbsp. vegetables or fruit or a combination of both "	Bananas	Pears	Applesauce	Peaches	Bananas
	Birth - 5 Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ²	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
		6-8 fluid (fl.) oz. breastmilk ¹ or formula ² ; and	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
Lunch	6-11 Months	0-4 Tbsp. infant cereal (0-½ oz. eq.) ² , meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or 0-2 oz. cheese; or 0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup yogurt ³ ; or a combination of the above ⁴ ; and	Beef	Chicken	Turkey	Chicken	Ham
		0-2 Tbsp. vegetables or fruit or a combination of both ^{4,5}	Peas	Carrots			Squash

	Birth-5 Months	4-6 fluid (fl.) oz. breastmilk or	IFIF or Breastmilk				
		2-4 fl. oz breastmilk ¹ or formula ² , and	IFIF or Breastmilk				
		0-1/2 slice of bread/bread-like items (0-					
		½ oz. eq.) ⁶ ; or					
		crackers (0-¼ oz. eq.) ⁶ ; or 0-4 Tbsp. infant cereal (0-½ oz. eq.) ^{2,6} ;					
PM Snack		or					
	6-11		IFIC Rice Cereal	IFIC Oatmeal		IFIC Rice Cereal	
	Months	eq) ^{4,6,7} ; and	WG Toast	Animal Crackers	IFIC Multigrain	Graham Crackers	IFIC Multigrain
		0-2 Tbsp. vegetables or fruit or a combination of both	Pears	Applesauce	Bananas	Pears	Peaches

- 1. Breastmilk or formula, or portions of both, must be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months.

 For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be offered, with additional breastmilk offered at a later time if the infant will consume more.
- 2. Infant formula and dry infant cereal must be iron-fortified.
- 3. Yogurt must contain no more than 23 grams of total sugars per 6 ounces.
- 4. A serving of this component is required when the infant is developmentally ready to accept it.
- 5. Fruit and vegetable juices must not be served.
- 6. All grains served must be made with enriched or whole grain meal or flour. Ready-to-eat breakfast cereals and infant cereals that are fortified are also creditable.
- 7. Ready-to-eat breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams of sucrose and other sugars per 100 grams of dry cereal).

Dietitian Consulant Ratliff, RD, LD

CACFP We	eekly Men	u LCECA	Infant		Month: March	Date: 2024	
Meal	Age	Portion Size/Component	Monday	Tuesday	Wednesday	Thursday	Friday
			3/25/2024	3/26/2024	3/27/2024	3/28/2024	3/29/2024
	Birth - 5 Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ²	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
		6-8 fl. oz. breastmilk ¹ or formula ² ; and	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
Breakfast	6-11 Months	0-4 Tbsp. infant cereal (0-½ oz. eq.) ² , meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or 0-2 oz. cheese; or					
		0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup yogurt ³ ; or a combination of the above ⁴ ; and 0-2 Tbsp. vegetables or fruit or a	IFIC Oatmeal Vanilla Yogurt	IFIC Multigrain	IFIC Rice Cereal	IFIC Multigrain	IFIC Oatmeal Vanilla Yogurt
		combination of both '	Bananas	Pears	Applesauce	Peaches	Bananas
	Birth - 5 Months	4-6 fluid (fl.) oz. breastmilk ¹ or formula ²	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
		6-8 fluid (fl.) oz. breastmilk ¹ or formula ² ; and	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk	IFIF or Breastmilk
Lunch	6-11 Months	0-4 Tbsp. infant cereal (0-½ oz. eq.) ² , meat, fish, poultry, whole egg, cooked dry beans or cooked dry peas; or 0-2 oz. cheese; or 0-4 oz. (volume) cottage cheese; or 0-4 oz. or ½ cup yogurt ³ ; or a					
		combination of the above ⁴ ; and 0-2 Tbsp. vegetables or fruit or a combination of both ^{4,5}	Beef Peas	Chicken Carrots	Turkey Green Beans	Chicken Sweet Potatoes	Ham Squash

	Birth-5 Months	4-6 fluid (fl.) oz. breastmilk or	IFIF or Breastmilk				
		2-4 fl. oz breastmilk ¹ or formula ² , and	IFIF or Breastmilk				
		0-½ slice of bread/bread-like items (0- ½ oz. eq.) ⁶ ; or					
		crackers (0- $\frac{1}{4}$ oz. eq.) ⁶ ; or 0-4 Tbsp. infant cereal (0- $\frac{1}{4}$ oz. eq.) ^{2,6} ;					
COMPANIES DE LA COMPANIE DE LA COMPA	6-11		IFIC Rice Cereal	IFIC Oatmeal		IFIC Rice Cereal	
	Months	eq) ^{4,6,7} ; and	WG Toast	Animal Crackers	IFIC Multigrain	Graham Crackers	IFIC Multigrain
		0-2 Tbsp. vegetables or fruit or a combination of both ್	Pears	Applesauce	Bananas	Pears	Peaches

- 1. Breastmilk or formula, or portions of both, must be served; however, it is recommended that breastmilk be served in place of formula from birth through 11 months.

 For some breastfed infants who regularly consume less than the minimum amount of breastmilk per feeding, a serving of less than the minimum amount of breastmilk may be offered, with additional breastmilk offered at a later time if the infant will consume more.
- 2. Infant formula and dry infant cereal must be iron-fortified.
- 3. Yogurt must contain no more than 23 grams of total sugars per 6 ounces.
- 4. A serving of this component is required when the infant is developmentally ready to accept it.
- 5. Fruit and vegetable juices must not be served.
- 6. All grains served must be made with enriched or whole grain meal or flour. Ready-to-eat breakfast cereals and infant cereals that are fortified are also creditable.
- 7. Ready-to-eat breakfast cereals must contain no more than 6 grams of sugar per dry ounce (no more than 21.2 grams of sucrose and other sugars per 100 grams of dry cereal).

CACFP WE	EKLY MENU	Center:			Month:	Date:			
Preschool	/ Toddler	Lawrence Co	unty Early Ch	nildhood Aca	ademy	March	3/4/2024 To	3/8/2024	
MEAL	COMPONENT	AGES	AGES	AGES	Monday	Tuesday	Wednesday	Thursday	Friday
		1-2	3-5	6-18	3/4/2024	3/5/2024	3/6/2024	3/7/2024	3/8/2024
	Milk	1/2 cup	3/4 cup	1 cup	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk
						,			,
Breakfast	Fruit/Vegetable	1/4 cup	1/2 cup	1/2 cup	Diced Peaches	Applesauce	Orange Juice	Strawberries	Apple Juice
	Grains/Meat Alternates	1/2 oz eg ^{1,2}	1/2 oz eq ^{1,2}	1 oz eq ^{1,2}	W/G Waffles w/ syrup	Banana or Orange Muffin	Rice Chex Cereal	English Muffin/ Cream Cheese	Oats / Whole Wheat Toast/ w Butter
									,
	Milk	1/2 cup	3/4 cup	1 cup	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk
	Meat/				9 785	Beef & Noodles	Sloppy Joes		
	Meat Alternates	1 oz	1 1/2 oz	2 oz	Salisbury Steak	(Shredded Beef)	(Grnd Beef)	Turkey Roll Up	Chicken Nuggets
Lunch						California Blend for		Peas,Diced Tomatoes	
					Green Beans &	(Infants & Toddlers)	Broccoli w/ Cheese	Shredded Cheese, Lettuce	
	Vegetable	1/8 cup	1/4 cup	1/2 cup	Mashed Potatoes	Baked Beans	Baked French Fries	only Preschool	Corn
	5	1/0	2/2	1/1		Mixed Fruit			
	Fruit	1/8 cup	1/4 cup	1/4 cup	Pears	Frozen Vanilla Yogurt	Fresh Apples	Diced Peaches	Mandarin Oranges
	Grain	1/2 oz eq ²	1/2 oz eq ²	1 oz eq²	Roll	Whole Wheat Bread	WG Bun	W/G Soft Tortilla Shell	White Wheat Bread
	Milk	1/2 cup	1/2 cup	1 cup	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk
	Meat/						1	,	,
	Meat Alternates	1/2 oz	1/2 oz	1 oz	Strawberry Yogurt Snacks	Cheddar Cheese Stick	Stawberry Yogurt		
Snack**	Vegetable	1/2 cup	1/2 cup	3/4 cup					
	Fruit	1/2 cup	1/2 cup	3/4 cup				Banana	
	Grain	1/2 oz eq ²		2	Cheerios	Club Crackers	Granola	Rice Krispies	Blueberry Muffin

Toddler's do not receive lettuce or raw carrots their carrots are to be parboiled.

Toddler's over 2 years will receive 1% milk.

Fresh fruit will replace canned fruit when in season.

Dietitian Consulant Rathiff RD, LD

¹ Meat and meat alternates may be used to substitute the entire grains component a maximum of three times per week.

² oz eq = ounce equivalents

^{**} Select 2 of the 5 components for snack.

CACFP WEEKLY MENU		Center: Month: Date: Lawrence County Early Childhood Academy March 3/11/2024 To 3/15/2024										
Preschool / Toddler			ounty Early C			March	3/11/2024 To					
MEAL	COMPONENT	AGES AGES		AGES Monday		Tuesday	Wednesday	Thursday	Friday			
		1-2 3-5 6-18 3/11/2024		3/11/2024	3/12/2024	3/13/2024	3/14/2024	3/15/2024				
	Milk	1/2 cup	3/4 cup	1 cup	Whole Milk/ 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk			
Breakfast	Fruit/Vegetable	1/4 cup	1/2 cup	1/2 cup	Orange Juice	Mixed Fruit	Diced Peaches	Grape Juice	Strawberries			
	Grains/Meat Alternates	1/2 oz eq ^{1,2}	1/2 oz eq ^{1,2}	1 oz eq ^{1,2}	White Wheat Toast w/Butter &Strawberry Jelly Scrambled Eggs	French Toast Sticks w/ Syrup	Sausage Biscuit	Blueberry Muffin	Oats			
	Milk	1/2 cup	3/4 cup	1 cup	Whole Milk/ 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk			
	Meat/ Meat Alternates	1 oz	1 1/2 oz	2 oz	Fish Sandwich (CN)	Chicken Nuggets (CN)	Meat Loaf (Beef)	Macaroni & Cheese	WG Cheese Pizza			
Lunch	Vegetable	1/8 cup	1/4 cup	1/2 cup	Cooked Carrots	Peas & Tater Tots	Green Beans/Mashed Potatoes	Broccoli	Corn			
	Fruit	1/8 cup	1/4 cup	1/4 cup	Mandarin Oranges	Diced Pears	Pineapple Tidbits	Applesauce	Frozen Vanilla Yogurt Diced Peaches			
	Grain	1/2 oz eq²	1/2 oz eq ²	1 oz eq²	White Whole Grain Bun	White Wheat Bread	Whole Wheat Braed	White Wheat Bread	Breading on Pizza			
	Milk	1/2 cup	1/2 cup	1 cup	Whole Milk/ 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk			
	Meat/ Meat Alternates	1/2 oz	1/2 oz	1 oz	Colby Jack Cheese Sticks		Rasberry Yogurt		Strawberry/Banana Yogurt			
Snack**	Vegetable	1/2 cup	1/2 cup	3/4 cup								
	Fruit	1/2 cup	1/2 cup	3/4 cup		Applesauce		Pears				
	Grain	1/2 oz eq ⁻	1/2 oz eq ⁴	1 oz eq ²	Saltine Crackers	Teddy Grahams	Kix Cereal	WG Educational Snacks	Granola			

Toddler's do not receive lettuce or raw carrots their carrots are to be parboiled. Toddler's over 2 years will receive 1% milk.

Dietitian Consultant Skalleffer RD 4D

¹ Meat and meat alternates may be used to substitute the entire grains component a maxiumum of three times per week.

^{**} Select 2 of the 5 components for snack.

CACFP WEEKLY MENU		Center:									
Preschoo	Preschool / Toddler		Lawrence County Early Childhood Academy March 3/18/2024 To 3/22/2024								
MEAL	COMPONENT	AGES	AGES	AGES	Monday	Tuesday	Wednesday	Thursday	Friday		
		1-2	3-5	6-18	3/18/2024	3/19/2024	3/20/2024	3/21/2024	3/22/2024		
	Milk	1/2 cup	3/4 cup	1 cup	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk /1% Milk	Whole Milk /1% Milk		
Breakfast	Fruit/Vegetable	1/4 cup	1/2 cup	1/2 cup	Diced Peaches	Grape Juice	Strawberries	Banana	Apple Juice		
	Grains/Meat			-,,	Dieda i dadiida	White Wheat Toast w/Strawberry Jelly Scrambled Eggs	WG Cinnamon	- Contract	TAPPIC SAICE		
	Alternates	1/2 oz eq ^{1,2}	1/2 oz eq ^{1,2}	1 oz eq ^{1,2}	Oatmeal	Scrambica Eggs	Toast Crunch	Blueberry Muffins	Sausage Biscuit & Gravy		
	Milk	1/2 cup	3/4 cup	1 cup	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk /1% Milk Whole Milk /1% Milk			
	Meat/ Meat Alternates	1 oz	1 1/2 oz	2 oz	Fish Sticks (CN)	Chicken Strips (CN)	Hamburgers (Beef)	Spaghetti w/ Meat Sauce (Grnd Beef)	Shredded Chicken Wrap w/ Taco Seasoning		
Lunch	Vegetable	1/8 cup	1/4 cup	1/2 cup	Broccoli & Tater Tots	Green Beans & Mashed Potatoes	Corn & French Fries	California Blend (Toddler's) Salad Mix	Peas & Carrots Diced Tomatoes, Lettuce, Shredded Cheese		
	Fruit	1/8 cup	1/4 cup	1/4 cup	Mixed Fruit	Diced Peaches	Diced Pears	Pineapple Tidbits	Mixed Fruit		
	Grain	1/2 oz eq ²	1/2 oz eq ²	1 oz eq²	Whole Wheat Bread	White Whole Grain Bread	WG Bun	Garlic Bread	WG Soft Taco Shell		
	Milk	1/2 cup	1/2 cup	1 cup	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk	Whole Milk /1% Milk	Whole Milk /1% Milk		
Snack**	Meat/ Meat Alternates	1/2 oz	1/2 oz	1 oz	Mozzarella Cheese Sticks	Rasberry Yogurt	Frozen Vanilla Yogurt		Strawberry/Banana Yogurt		
	Vegetable	1/2 cup	1/2 cup	3/4 cup							
	Fruit	1/2 cup	1/2 cup	3/4 cup			Jello w/ Peaches Mandarin Oranges				
	Grain	1/2 oz eq ⁴	1/2 oz eq ⁴	1 oz eq²	Whole Wheat Crackers	Cheerios		Graham Crackers	Strawberry Yogurt Snack		

Toddler's do not get lettuce or raw carrots their carrots are to be parboiled.

Toddler's over 2 years will receive 1% milk.

Fresh Fruit will replace canned fruit when in season.

Dietitian Consultant <u>SRathff</u>, RD, D

¹ Meat and meat alternates may be used to substitute the entire grains component a maxiumum of three times per week.

² oz eq = ounce equivalents

^{**} Select 2 of the 5 components for snack.

CACFP WEEKLY MENU Preschool / Toddler		Center: Lawrence Co	ounty Early Chi	ildhood Aca	Month:	March Da	Date: 3/25/2024 To 3/29/2024				
MEAL	COMPONENT	AGES 1-2	AGES 3-5	AGES 6-18	Monday 3/25/2024	Tuesday	3/26/2024	Wednesday	3/27/2024	Thursday 3/28/2024	Friday 3/29/2024
	Milk	1/2 cup	3/4 cup	1 cup	Whole Milk / 1% Milk	Whole Milk / 1% Milk		Whole Milk / 1% Milk		Whole Milk / 1% Milk	Whole Milk / 1% Milk
Breakfast	Fruit/Vegetable	1/4 cup	1/2 cup	1/2 cup	Grape Juice	Diced Peaches		Strawberries		Fresh Apples	Orange Juice
	Grains/Meat Alternates	1/2 oz eq ^{1,2}	1/2 oz eq ^{1,2}	1 oz eq ^{1,2}	White Whole Grain Cinnamon Toast w/ Butter	WG Pancakes w/ Syrup		Kix Cereal		W/G French Toast Sticks w/ syrup	Breakfast Burrito / Soft Tortilla Shell & Scrambled Eggs, Shredded Cheese
	Milk	1/2 cup	3/4 cup	1 cup	Whole Milk / 1% Milk	Whole Milk / 1% Milk		Whole Milk / 1% Milk		Whole Milk / 1% Milk	Whole Milk / 1% Milk
	Meat/ Meat Alternates	1 oz	1 1/2 oz	2 oz	Baked Chicken Breast (CN)	Cheeseburger	(Beef)	Beef Ta	со	W/G Pepperoni Pizza(CN)	Chicken Alfredo (CN) w/Penn Noodles
Lunch	Vegetable	1/8 cup	1/4 cup	1/2 cup	Green Beans Roasted Potatoes	Peas / French Fries		Corn		Carrot Sticks Parboiled w/Ranch Dressing	Broccoli
	Fruit	1/8 cup	1/4 cup	1/4 cup	Mandarin Oranges	Pineapple Tidbits		Mixed Fruit		Pears	Diced Peaches
	Grain	1/2 oz eq ²	1/2 oz eq ²	1 oz eq²	Whole Wheat Bread	White Whole	Grain Bun	WG Soft Torti	lla Shell	W/G Pizza Crust	Garlic Bread
	Milk	1/2 cup	1/2 cup	1 cup	Whole Milk / 1% Milk	Whole I	Milk / 1% Milk	Whole Milk /	1% Milk	Whole Milk / 1% Milk	Whole Milk / 1% Milk
	Meat/ Meat Alternates	1/2 oz	1/2 oz	1 oz	Cheese Cubes					Cheese Slices	
Snack**	Vegetable	1/2 cup	1/2 cup	3/4 cup							
	Fruit	1/2 cup	1/2 cup	3/4 cup	Mixed Fruit						
	Grain	1/2 oz eq ²	1/2 oz eq ²	1 oz eq²	Wheat Crackers	Cheer	ios	Orange or Bana	na Muffin	Saltine Crackers	Cinnamon Toast Crunch

Toddler's do not get lettuce or raw carrots their carrots are to be parboiled.

Toddler's over 2 years will receive 1% Milk.

Fresh fruit will replace can fruit when in season.

Dietitian Consultant Skatliff, RD, LD

¹ Meat and meat alternates may be used to substitute the entire grains component a maxiumum of three times per week.

² oz eq = ounce equivalents

^{**} Select 2 of the 5 components for snack.